

# Skydroid-T12 Series

Combination of Data Transmission, Picture Transmission and Remote Control


Extreme intelligent, control by heart

- ✓ Real dual redundant, double antenna and models design.
- ✓ 12 channels, supporting fixed wing, multiple rotors, intelligent robots and underwater drone.
- ✓ Mobile APP XAircraft Configuration, adopting all one key adjust parameter.
- ✓ Bluetooth USB double connections, matching powerful ground station APP.



## Data Link

FHSS spread spectrum technology, full angular gain antenna, measured distance 5-30 kilometers



## Stable Link

Dual redundant transmission system, resend packet loss, forward error correction



## Long Battery Life

4000mAh built-in  
Battery: 30-40h



## Super Mini Size

Easy Portable, embedded folding, holders are easy to collect



## Strong expansibility

S.BUS/PPM/PMW  
/12C serial port/various ports




## Super open

Provide SDK and protocol documents











Through long time research and development,  
optimizing the Bluetooth function.



Supporting Bluetooth customized title  
settles the differences of multiple work

Newest Bluetooth technology could avoid the  
remote control frequency point, multipoint 5000  
times frequency hopping, which is the most reli-  
able method in the industry

Receiver Outlook at different angle







- 4in1 camera/receiver/remote/LED
- Full CNC finishing
- Super bright LED, 150° Convex lens





30h  
Super long  
application



Recharging the  
mobile at the  
same time



100mw super low  
power, reach the  
export standard





## Security Protection, Water and Drop Resistance

Through the test, for encountering the drops from any angle, it could protect the rod from break and damage. And the silicon protection cover could protect the machine from the water and dust comprehensively.



Product Type	Skydroid-T12 Series
Product Net Weight	560g
Channel No,	12
Work Voltage	4.2V
Work Electricity	130mA
Battery Capacity	4000mAh

Duration	25h
Frequency	2.4G
Data Transfer Power	100mw
Communication Technology	FHSS Frequency-hopping spread spectrum
Distance	5~30kilometers
Signal Output	SBUS PWM I2C






Note: the product is by manual measurement which could be 0.5cm-2cm error, Please do not order if mind.







---

**CONTACT CHINA MONEYPRO GROUP NOW:**

**EMAIL: [SALES@MONEYPROUAV.COM](mailto:SALES@MONEYPROUAV.COM)**

**MOBILE: +86-18126437260 (WHAT'S UP) MS. AMY LUO**