




Industrial Hardware Multi Redundant System



Weight:100g Palm Size Only



Working Temperature -20~75°C




Internal Damping Structure



Galaxy Cloud Management




One Station Controls Multiple Platform Drones





15 PWM output

15 PWM output channels Direct drive external mission equipment 3 expansion serial ports Easy to develop and integrate



10 routes with1000 waypoints each Meet the needs of large-scale aerial survey

4 CAN bus Avionics Module Arbitrarily Expanded



17000 POS Data



Rich Interfaces

Serial ports


15 PWM output


CAN bus

Kalman filter Guidance rule ADRC



Advanced Algorithms





Restores Real Dynamic Characteristics Makes Flying More Accurate.







Simple Installation

Modular connection, which greatly saves the user's installation time, and the entire system also becomes more reliable and easy to use.



Navigation light module

Status lights & navigation lights
Designed to meet aviation industry
standard HB 6490



Satellite compass module

GC1 Integrated satellite receiver & magnetic compass




Airspeed meter module

AM1
Airspeed measurement for fixed-wing and hybrid-wing drones



Communication module

DL900 Long-distance wireless data transmission



CONTACT CHINA MONEYPRO GROUP NOW:

EMAIL: SALES@MONEYPROUAV. COM

MOBILE: +86-18126437260 (WHAT'S UP) MS. AMY LUO